














Cadvent dane techniczne-przepływ

Nazwa systemu: genetyka BSL

Rodzaj systemu: EXHAUST

Projektant:


| | | | Przepływ | Długość | Prędkość | Dostępne | dP | Notes |
|--|-------|-------------------------|--|---------|----------|----------|-----|-------|
| | [Nr.] | Produkt ID: | m ³ /h q _{qnom} | mm | m/s | Pa | Pa | |
| | 1 | SR 400 | 2 250 | 2 250 | 2 588 | 5,0 | 136 | 2 |
| | 2 | BFU 400 90 | 2 250 | 2 250 | | 5,0 | 134 | 4 |
| | 3 | SR 400 | 2 250 | 2 250 | 2 497 | 5,0 | 130 | 5 |
| | 4 | TCPU 400 160 | 238 | 238 | | 3,3 | 128 | 4 |
| | 113 | SR 160 | 238 | 238 | 5 000 | 3,3 | 124 | 5 |
| | 114 | DRU 160 | 238 | 238 | | 3,3 | 119 | 74 |
| | 115 | SR 160 | 238 | 238 | 769 | 3,3 | 45 | 1 |
| | 116 | FD 160 818 | 238 | 238 | 700 | 3,3 | 44 | 3 |
| | 117 | RCFU 200 160 | 238 | 238 | | 2,1 | 41 | 1 |
| | 118 | RKD-0-400/MBF-2-200/200 | 238 | 238 | | 2,1 | 40 | 40 |
| | 4 | TCPU 400 160 | 2 012 | 2 012 | | 4,4 | 128 | 3 |
| | 5 | SR 400 | 2 012 | 2 012 | 1 686 | 4,4 | 125 | 1 |
| | 6 | TCPU 400 200 | 778 | 778 | | 6,9 | 124 | 28 |
| | 67 | SR 200 | 778 | 778 | 334 | 6,9 | 96 | 1 |
| | 68 | BFU 200 45 | 778 | 778 | | 6,9 | 95 | 2 |
| | 69 | SR 200 | 778 | 778 | 1 036 | 6,9 | 93 | 3 |
| | 70 | BFU 200 45 | 778 | 778 | | 6,9 | 90 | 2 |
| | 71 | SR 200 | 778 | 778 | 399 | 6,9 | 88 | 1 |
| | 72 | BFU 200 45 | 778 | 778 | | 6,9 | 86 | 2 |
| | 73 | SR 200 | 778 | 778 | 550 | 6,9 | 84 | 2 |
| | 74 | DRU 200 | 778 | 778 | | 6,9 | 82 | 9 |
| | 75 | SR 200 | 778 | 778 | 2 300 | 6,9 | 74 | 7 |
| | 76 | TCPU 200 80 | 706 | 706 | | 6,2 | 66 | 5 |
| | 77 | SR 200 | 706 | 706 | 474 | 6,2 | 62 | 1 |
| | 78 | TCPU 200 160 | 526 | 526 | | 4,6 | 60 | 4 |
| | 79 | SR 200 | 526 | 526 | 1 017 | 4,6 | 56 | 2 |
| | 80 | TCPU 200 160 | 198 | 198 | | 1,8 | 55 | 5 |
| | 81 | RCFU 200 160 | 198 | 198 | | 2,7 | 49 | 1 |
| | 82 | SR 160 | 198 | 198 | 95 | 2,7 | 49 | |
| | 83 | DRU 160 | 198 | 198 | | 2,7 | 49 | 18 |
| | 84 | SR 160 | 198 | 198 | 95 | 2,7 | 31 | |
| | 85 | FD 160 782 | 198 | 198 | 661 | 2,7 | 31 | 2 |
| | 86 | RCFU 200 160 | 198 | 198 | | 1,8 | 29 | 1 |
| | 87 | RKD-0-400/MBF-2-200/200 | 198 | 198 | | 1,8 | 28 | 28 |
| | 88 | TCPU 200 160 | 328 | 328 | | 4,5 | 55 | 12 |
| | 88 | SR 160 | 328 | 328 | 1 848 | 4,5 | 43 | 4 |
| | 89 | TCPU 160 125 | 205 | 205 | | 2,8 | 39 | 3 |
| | 90 | SR 160 | 205 | 205 | 1 866 | 2,8 | 36 | 1 |
| | 91 | DRU 160 | 205 | 205 | | 2,8 | 35 | 2 |
| | 92 | SR 160 | 205 | 205 | 478 | 2,8 | 33 | |
| | 93 | FD 160 676 | 205 | 205 | 578 | 2,8 | 33 | 2 |
| | 94 | RCFU 200 160 | 205 | 205 | | 1,8 | 31 | 1 |

| | | | Przepływ | | Długość | Prędkość | Dostępne | dP | Notes |
|---|-------|----------------------------|---------------------------------------|-------|---------|----------|----------|----|-------|
| | [Nr.] | Produkt ID: | m ³ /h q _{nom} | | mm | m/s | Pa | Pa | |
|  | 95 | -->RKD-0-400/MBF-2-200/200 | 205 | 205 | | 1,8 | 30 | 30 | |
| | 89 | TCPU 160 125 | 122 | 122 | | 2,8 | 39 | 2 | |
| | 96 | SR 125 | 122 | 122 | 198 | 2,8 | 37 | | |
|  | 97 | DRU 125 | 122 | 122 | | 2,8 | 37 | 16 | |
| | 98 | FD 125 257 | 122 | 122 | 255 | 2,8 | 21 | 1 | |
|  | 99 | RKD-0-300/MBF-1-125/160 | 122 | 122 | | 2,8 | 20 | 20 | |
| | 78 | TCPU 200 160 | 180 | 180 | | 2,5 | 60 | | |
| | 100 | SR 160 | 180 | 180 | 392 | 2,5 | 66 | | |
|  | 101 | DRU 160 | 180 | 180 | | 2,5 | 66 | 30 | |
| | 102 | SR 160 | 180 | 180 | 4 530 | 2,5 | 36 | | |
| | 103 | BU 160 90 | 180 | 180 | | 2,5 | 34 | | |
| | 104 | SR 160 | 180 | 180 | 9 842 | 2,5 | 32 | | |
| | 105 | FD 160 950 | 180 | 180 | 813 | 2,5 | 26 | 2 | |
| | 106 | RCFU 200 160 | 180 | 180 | | 1,6 | 24 | 1 | |
|  | 107 | RKD-0-400/MBF-2-200/200 | 180 | 180 | | 1,6 | 23 | 23 | |
| | 76 | TCPU 200 80 | 72 | 72 | | 4,0 | 66 | 1 | |
| | 108 | SR 80 | 72 | 72 | 95 | 4,0 | 65 | | |
|  | 109 | FMDU 80 | 72 | 72 | | 4,0 | 65 | 53 | |
| | 110 | FD 80 177 | 72 | 72 | 175 | 4,0 | 12 | 2 | |
| | 111 | RCFU 125 80 | 72 | 72 | | 1,6 | 10 | 3 | |
|  | 112 | RKD-0-300/MBF-1-125/160 | 72 | 72 | | 1,6 | 7 | 7 | |
| | 6 | TCPU 400 200 | 1 235 | 1 235 | | 2,7 | 124 | 3 | |
| | 7 | RCFU 400 250 | 1 235 | 1 235 | | 7,0 | 121 | 4 | |
| | 8 | SR 250 | 1 235 | 1 235 | 1 955 | 7,0 | 117 | 5 | |
| | 9 | TCPU 250 160 | 418 | 418 | | 5,8 | 112 | 14 | |
| | 50 | SR 160 | 418 | 418 | 5 130 | 5,8 | 98 | 16 | |
|  | 51 | DRU 160 | 418 | 418 | | 5,8 | 82 | 16 | |
| | 52 | SR 160 | 418 | 418 | 771 | 5,8 | 66 | 2 | |
| | 53 | TCPU 160 160 | 248 | 248 | | 3,4 | 64 | 13 | |
| | 61 | SR 160 | 248 | 248 | 140 | 3,4 | 50 | | |
|  | 62 | DRU 160 | 248 | 248 | | 3,4 | 50 | 3 | |
| | 63 | SR 160 | 248 | 248 | 95 | 3,4 | 48 | | |
| | 64 | FD 160 581 | 248 | 248 | 572 | 3,4 | 48 | 3 | |
| | 65 | RCFU 200 160 | 248 | 248 | | 2,2 | 45 | 1 | |
|  | 66 | RKD-0-400/MBF-2-200/200 | 248 | 248 | | 2,2 | 44 | 44 | |
| | 53 | TCPU 160 160 | 169 | 169 | | 2,3 | 64 | 12 | |
| | 54 | RCFU 160 125 | 169 | 169 | | 3,8 | 51 | 1 | |
| | 55 | SR 125 | 169 | 169 | 417 | 3,8 | 50 | 1 | |
|  | 56 | DRU 125 | 169 | 169 | | 3,8 | 49 | 21 | |
| | 57 | SR 125 | 169 | 169 | 111 | 3,8 | 28 | | |
| | 58 | FD 125 820 | 169 | 169 | 813 | 3,8 | 28 | 6 | |
| | 59 | RCFU 200 125 | 169 | 169 | | 1,5 | 22 | 2 | |
|  | 60 | RKD-0-400/MBF-2-200/200 | 169 | 169 | | 1,5 | 20 | 20 | |
| | 9 | TCPU 250 160 | 817 | 817 | | 4,6 | 112 | 6 | |
| | 10 | SR 250 | 817 | 817 | 1 833 | 4,6 | 106 | 2 | |
| | 11 | TCPU 250 125 | 158 | 158 | | 3,6 | 104 | 6 | |
| | 44 | SR 125 | 158 | 158 | 1 489 | 3,6 | 98 | 3 | |
|  | 45 | DRU 125 | 158 | 158 | | 3,6 | 96 | 69 | |
| | 46 | SR 125 | 158 | 158 | 345 | 3,6 | 27 | 1 | |

| | | | Przepływ | Długość | Prędkość | Dostępne | dP | Notes |
|--|-------|-------------------------|---------------------------------------|---------|----------|----------|-----|-------|
| | [Nr.] | Produkt ID: | m ³ /h q _{nom} | mm | m/s | Pa | Pa | |
| | 47 | FD 125 932 | 158 | 158 | 928 | 3,6 | 26 | 6 |
| | 48 | RCFU 160 125 | 158 | 158 | | 2,2 | 20 | 1 |
| | 49 | RKD-0-400/MBF-1-160/200 | 158 | 158 | | 2,2 | 19 | 19 |
| | 11 | TCPU 250 125 | 659 | 659 | | 3,7 | 104 | 2 |
| | 12 | RCFU 250 200 | 659 | 659 | | 5,8 | 102 | 2 |
| | 13 | SR 200 | 659 | 659 | 6 541 | 5,8 | 100 | 15 |
| | 14 | TCPU 200 160 | 418 | 418 | | 5,8 | 85 | 18 |
| | 32 | SR 160 | 418 | 418 | 2 612 | 5,8 | 67 | 8 |
| | 33 | DRU 160 | 418 | 418 | | 5,8 | 59 | 12 |
| | 34 | SR 160 | 418 | 418 | 929 | 5,8 | 47 | |
| | 35 | TCPU 160 160 | 209 | 209 | | 2,9 | 44 | 6 |
| | 36 | SR 160 | 209 | 209 | 2 110 | 2,9 | 38 | 5 |
| | 37 | BU 160 90 | 209 | 209 | | 2,9 | 37 | 2 |
| | 38 | FD 160 797 | 209 | 209 | 790 | 2,9 | 34 | 2 |
| | 39 | RCFU 200 160 | 209 | 209 | | 1,8 | 32 | 1 |
| | 40 | RKD-0-400/MBF-2-200/200 | 209 | 209 | | 1,8 | 31 | 31 |
| | 35 | TCPU 160 160 | 209 | 209 | | 2,9 | 44 | |
| | 41 | FD 160 795 | 209 | 209 | 788 | 2,9 | 45 | 2 |
| | 42 | RCFU 200 160 | 209 | 209 | | 1,8 | 43 | 1 |
| | 43 | RKD-0-400/MBF-2-200/200 | 209 | 209 | | 1,8 | 42 | 42 |
| | 14 | TCPU 200 160 | 241 | 241 | | 2,1 | 85 | 7 |
| | 15 | RCFU 200 125 | 241 | 241 | | 5,5 | 77 | 3 |
| | 16 | SR 125 | 241 | 241 | 3 798 | 5,5 | 74 | 14 |
| | 17 | BU 125 90 | 241 | 241 | | 5,5 | 60 | 7 |
| | 18 | SR 125 | 241 | 241 | 3 477 | 5,5 | 53 | 13 |
| | 19 | TCPU 125 100 | 97 | 97 | | 3,4 | 40 | 3 |
| | 26 | SR 100 | 97 | 97 | 174 | 3,4 | 37 | |
| | 27 | DRU 100 | 97 | 97 | | 3,4 | 37 | 20 |
| | 28 | SR 100 | 97 | 97 | 95 | 3,4 | 17 | |
| | 29 | FD 100 371 | 97 | 97 | 362 | 3,4 | 17 | 3 |
| | 30 | RCFU 125 100 | 97 | 97 | | 2,2 | 15 | 2 |
| | 31 | RKD-0-300/MBF-1-125/160 | 97 | 97 | | 2,2 | 13 | 13 |
| | 19 | TCPU 125 100 | 144 | 144 | | 3,3 | 40 | 4 |
| | 20 | SR 125 | 144 | 144 | 1 542 | 3,3 | 36 | 2 |
| | 21 | DRU 125 | 144 | 144 | | 3,3 | 34 | 12 |
| | 22 | SR 125 | 144 | 144 | 481 | 3,3 | 22 | 1 |
| | 23 | FD 125 935 | 144 | 144 | 798 | 3,3 | 21 | 4 |
| | 24 | RCFU 160 125 | 144 | 144 | | 2,0 | 17 | 1 |
| | 25 | RKD-0-400/MBF-1-160/200 | 144 | 144 | | 2,0 | 16 | 16 |
| | | | | | | | | |

Cadvent dane techniczne-przepływ

Nazwa systemu: BSL2
 Rodzaj systemu: SUPPLY
 Projektant:

| | | | Przepływ | Długość | Prędkość | Dostępne | dP | Notes |
|--|-------|---------------------------|---------------------------------------|---------|----------|----------|-----|-------|
| | [Nr.] | Produkt ID: | m ³ /h q _{nom} | mm | m/s | Pa | Pa | |
|  | 1 | SR 250 | 958 | 958 | 2 860 | 5,4 | 120 | 4 |
| | 2 | BU 250 90 | 958 | 958 | | 5,4 | 115 | 5 |
| | 3 | SR 250 | 958 | 958 | 1 679 | 5,4 | 110 | |
| | 4 | BU 250 90 | 958 | 958 | | 5,4 | 107 | 3 |
| | 5 | SR 250 | 958 | 958 | 7 607 | 5,4 | 102 | 12 |
| | 6 | BU 250 90 | 958 | 958 | | 5,4 | 90 | 5 |
| | 7 | SR 250 | 958 | 958 | 7 051 | 5,4 | 85 | 11 |
| | 8 | BU 250 30 | 958 | 958 | | 5,4 | 74 | 2 |
| | 9 | SR 250 | 958 | 958 | 286 | 5,4 | 72 | |
| | 10 | BU 250 30 | 958 | 958 | | 5,4 | 71 | 2 |
| | 11 | SR 250 | 958 | 958 | 180 | 5,4 | 69 | |
| | 12 | BFU 250 90 | 958 | 958 | | 5,4 | 69 | 7 |
| | 13 | SR 250 | 958 | 958 | 581 | 5,4 | 62 | 1 |
| | 14 | DRU 250 | 958 | 958 | | 5,4 | 61 | 6 |
| | 15 | SR 250 | 958 | 958 | 405 | 5,4 | 56 | 1 |
| | 16 | TCPU 250 200 | 637 | 637 | | 3,6 | 55 | 6 |
| | 17 | RCFU 250 200 | 637 | 637 | | 5,6 | 49 | 2 |
| | 18 | SR 200 | 637 | 637 | 1 099 | 5,6 | 47 | 2 |
| | 19 | TCPU 200 200 | 320 | 320 | | 2,8 | 45 | 5 |
| | 20 | SR 200 | 320 | 320 | 952 | 2,8 | 39 | 1 |
| | 21 | BU 200 30 | 320 | 320 | | 2,8 | 39 | 1 |
| | 22 | SR 200 | 320 | 320 | 95 | 2,8 | 38 | |
| | 23 | BU 200 60 | 320 | 320 | | 2,8 | 38 | 1 |
| | 24 | SR 200 | 320 | 320 | 139 | 2,8 | 37 | |
| | 25 | BU 200 15 | 320 | 320 | | 2,8 | 37 | |
| | 26 | SR 200 | 320 | 320 | 109 | 2,8 | 37 | |
| | 27 | RKD-0-500/MBT-1-200/250 | 320 | 320 | | 2,8 | 37 | 37 |
| | 19 | TCPU 200 200 | 317 | 317 | | 2,8 | 45 | 19 |
| | 28 | SR 200 | 317 | 317 | 129 | 2,8 | 26 | |
| | 29 | BU 200 15 | 317 | 317 | | 2,8 | 26 | |
| | 30 | SR 200 | 317 | 317 | 232 | 2,8 | 25 | |
| | 31 | ->RKD-0-500/MBT-1-200/250 | 317 | 317 | | 2,8 | 25 | 25 |
| | 16 | TCPU 250 200 | 320 | 320 | | 2,8 | 55 | 21 |
| | 32 | SR 200 | 320 | 320 | 104 | 2,8 | 34 | |
| | 33 | BU 200 15 | 320 | 320 | | 2,8 | 34 | |
| | 34 | SR 200 | 320 | 320 | 232 | 2,8 | 34 | |
| | 35 | RKD-0-500/MBT-1-200/250 | 320 | 320 | | 2,8 | 34 | 34 |